Supplementary Information

Triton-B/CS₂ mediated novel synthesis of substituted thioureas: A novel class of anti-cancer agents

Nitin Srivastava^a, Devdutt Chaturvedi^{b,*}, Ram Kishore^a, Manpreet Kaur^c & Raminderjit Kaur^c

^aDepartment of Chemistry, Amity School of Applied Sciences, Amity University, Uttar Pradesh, Lucknow Campus, Lucknow-226 028, India

^bDepartment of Chemistry, School of Physical Sciences, Mahatma Gandhi Central University, Motihari (East Champaran)-845 401, Bihar, India

^cDepartment of Molecular Biology & Biochemistry, Guru Nanak Dev University, Amritsar, India

*E-mail: devduttchaturvedi@gmail.com

Received 26 August 2021; accepted (revised) 15 July 2022

S. No.	Contents	Pg. No.
1	Fig. S1 — Structurally diversebiologically potent substituted thioureas derivatives	2
2	Fig. S2 — % viability vs conc. for compound (a) 5b , (b) 5c , (c) 5o , (d) 5c , (e) 5b , (f) 5d , (g) 5d , (h) 5c , (i) 5b and (j) 5o	3




Fig. S1 — Structurally diverse biologically potent substituted thioureas derivatives




Fig. S2 — % viability vs conc. for compound (a) $\mathbf{5b}$, (b) $\mathbf{5c}$, (c) $\mathbf{5o}$, (d) $\mathbf{5c}$, (e) $\mathbf{5b}$, (f) $\mathbf{5d}$, (g) $\mathbf{5d}$, (h) $\mathbf{5c}$, (i) $\mathbf{5b}$ and (j) $\mathbf{5o}$