

Supplementary Information

Ultrasound mediated synthesis of aldimines from non-enolizable aldehydes at room temperature

Dipankar Paul^a, Gitumoni Kalita^a, Hridoy Jyoti Bora^a, Suman Samai^b & Paresh Nath Chatterjee^{*a}


^aDepartment of Chemistry, National Institute of Technology Meghalaya, Bijni Complex, Laitumkhrah, Shillong 793 003, India

^bDepartment of Chemistry, Prabhat Kumar College, Contai, Purba Medinipur 721 404, India
E-mail: paresh.chatterjee@nitm.ac.in; imdpaul91@gmail.com


Received 20 February 2021; accepted (revised) 3 September 2021

Contents	Page
1. ¹ H and ¹³ C NMR spectra of compound 3	S2-S9


N-Benzylidene-4-methylbenzenesulfonamide (**3a**)




N-(2-Chlorobenzylidene)-4-methylbenzenesulfonamide (**3b**)




N-(3-Chlorobenzylidene)-4-methylbenzenesulfonamide (**3c**)




N-(4-Chlorobenzylidene)-4-methylbenzenesulfonamide (**3d**)




N-(4-Bromobenzylidene)-4-methylbenzenesulfonamide (**3e**)







4-Methyl-N-(4-methylbenzylidene)benzenesulfonamide (3f)




N-(4-Methoxybenzylidene)-4-methylbenzenesulfonamide (**3g**)




N-(2,5-Dimethoxybenzylidene)-4-methylbenzenesulfonamide (**3h**)




4-Methyl-N-(thiophen-2-ylmethylene)benzenesulfonamide(3i)




4-Methyl-N-(naphthalen-1-ylmethylene)benzenesulfonamide(3j)






N-Benzylidene-4-nitrobenzenesulfonamide (**3k**)



N-Benzylidenebenzenesulfonamide(**3l**)



4-Methyl-N'-(naphthalen-1-ylmethylene)benzenesulfonylhydrazide (**3m**)

